



6'x10' W - 6'x14' W

STANDARD FEATURES

- > All-Aluminum Construction
- > Leaf Spring Straight Idler Axle
- > 24" O/C Floor Crossmembers > Fold Down Rear Ramp
- > 2"x3" Subframe Tubing
- > (4) Surface Mounted D-Rings
- > (2) 5000# Safety Chains
- > 5/4" Pressure Treated Decking (5/8" Plywood on 10')
- > 4-Way Flat Power Connection

- > Recessed Rubber Mounted LED Lights
- > 3500# Wishbone Style Coupler w/2" Ball
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

Trailer Model	RANGER10-W	RANGER12-W	RANGER14-W
Model Number	RANGER10-W	RANGER12-W	RANGER14-W
Deck (WxL)	6'x10'	6'x12'	6'x14'
Overall (WxL)	94"x14'	94"x16'	94"x18'
Deck Height	20"	20"	20"
Hitch Height	16"	16"	16"
Decking	5/8" Plywood	5/4" PT	5/4" PT
Surface Mount D-Rings	4	4	4
Axle(s) - Qty/Rating	1-2200#	1-3500#	1-3500#
Wheels	13" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	175/80R13	205/75R15	205/75R15
GVWR	2200#	2990#	2990#
Curb Weight	420#	455#	490#
Payload	1780#	2535#	2500#
Wheel Jack	Optional	Optional	Optional

OPTIONS & ACCESSORIES

RAMP OPTIONS
Bi-Fold Ramp Upgrade
TIRE/WHEELS ASSEMBLIES & ACCESSORIES
Spare 13" Silver Mod Wheel w/ 175/80R13 Tire
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Upgrade to 13" Aluminum (Radial; From 13" Silver Mod Wheels)
Upgrade to 15" Aluminum (Radial; From 15" Silver Mod Radial Wheels)
Spare 13" Aluminum Wheel w/ 175/80R13 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Bolt-On Spare Tire Carrier (Tongue-Mounted)
Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)
Dolano Hocessed opare file well (Diamond Flate Williatel Oover)

TIE DOWN OPTIONS

Light Duty Surface-Mounted D-Ring (Installed)

5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)

JACKS & JACK ACCESSORIES

1200# Wheel Jack

RAIL KIT OPTIONS

P-CAB Rail Kit for Ranger/RZR10; 9" Solid Removable Rail Kit

P-CAB Rail Kit for Ranger/RZR12; 9" Solid Removable Rail Kit

P-CAB Rail Kit for Ranger/RZR14; 9" Solid Removable Rail Kit



OPEN RANGER UTV TRAILERS

6'x10' W - 6'x14' A CONTINUED

6'x10' A - 6'x14' A

STANDARD FEATURES

- > All-Aluminum Construction > 24" 0/C Floor Crossmembers
- > Leaf Spring Straight Idler Axle
- > Fold Down Rear Ramp
- > 2"x3" Subframe Tubing
- > (4) Surface Mounted D-Rings
- > (2) 5000# Safety Chains
- > Extruded Aluminum Decking
- > 4-Way Flat Power Connection
- > Recessed Rubber Mounted LED Lights
- > 3500# Wishbone Style Coupler w/2" Ball
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

Trailer Model	RANGER10-A	RANGER12-A	RANGER14-A
Model Number	RANGER10-A	RANGER12-A	RANGER14-A
Deck (WxL)	6'x10'	6'x12'	6'x14'
Overall (WxL)	94"x14'	94"x16'	94"x18'
Deck Height	20"	20"	20"
Hitch Height	16"	16"	16"
Decking	Extruded Aluminum	Extruded Aluminum	Extruded Aluminum
Surface Mount D-Rings	4	4	4
Axle(s) - Qty/Rating	1-2200#	1-3500#	1-3500#
Wheels	14" Aluminum	14" Aluminum	14" Aluminum
Tires	205/75R14	205/75R14	205/75R14
GVWR	2200#	2990#	2990#
Curb Weight	420#	455#	490#
Payload	1780#	2535#	2500#
Wheel Jack	Optional	Optional	Optional

OPTIONS & ACCESSORIES

RAMP OPTIONS					
	DAB	MD (דתו	N.	ıc
	BAN	MP I	JP I	ши	

Bi-Fold Ramp Upgrade

TIRE/WHEELS ASSEMBLIES & ACCESSORIES

Spare 14" Aluminum Wheel w/ 205/75R14 Tire

Bolt-On Spare Tire Carrier (Tongue-Mounted)

Deluxe Recessed Spare Tire Well (Diamond Plate w/Hatch Cover)

TIE DOWN OPTIONS

Light Duty Surface-Mounted D-Ring (Installed)

5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)

JACKS & JACK ACCESSORIES

1200# Wheel Jack

RAIL KIT OPTIONS

P-CAB Rail Kit for Ranger/RZR10, 9" Solid Removable Rail Kit

P-CAB Rail Kit for Ranger/RZR12, 9" Solid Removable Rail Kit

P-CAB Rail Kit for Ranger/RZR14, 9" Solid Removable Rail Kit







RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (Pair)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (Pair)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (Pair)
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (Pair)
ATV (88-Wide, Side-Stow)	(All Sizes)	750# (Pair)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	PU-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (Pair)
Open Snow (Rear-Stow)	PFS	750#
Sport Deck (Rear-Stow, Telescoping)	PSD	1000#
Enclosed Cargo (4, 5, 6-Wide)	(All Sizes)	1500#
Enclosed Cargo (7, 7.5-Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5-Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7-Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5-Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7, 7.5, 101-Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7, 7.5, 101-Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile (Crossover, Rear)	(All Sizes)	1500#



