



OPEN WR 2.0 UTILITY TRAILERS

60"x8' – 80"x14'

POLARIS
TRAILERS



60"x8' – 60"x14'

STANDARD FEATURES

- > All-Aluminum Construction
- > 2"x4" Subframe Tubing
- > 24" O/C Floor Crossmembers
- > 2000# Center Jack
- > Leaf Spring Idler Axle
- > Integrated Aluminum Fold Down Ramp
- > Exterior LED Lighting
- > 4-Way Flat Power Connection
- > 2"x8" Planking
- > 2"x2" Rail Kit
- > 4-Piece Extruded Hinge System
- > Aluminum Fenders
- > 5000# Safety Chains
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

Trailer Model	60x8 Wood Deck	60x10 Wood Deck	60x14 Wood Deck
Model Number	PU60x8WR-2.0	PU60x10WR-2.0	PU60x14WR-2.0
Deck (WxL)	60"x96"	60"x120"	60"x168"
Overall (WxL)	80"x174"	80"x198"	80"x246"
Deck Height	18"	18"	18"
Hitch Height	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#
Curb Weight	663#	696#	762#
Payload	2327#	2294#	2228#

OPTIONS & ACCESSORIES

RAMP OPTIONS

Bi-Fold Ramp Upgrade

FLOORING OPTIONS

Upgrade to Extruded Aluminum Floor (PBF)

TIRE/WHEEL ASSEMBLIES

Spare 15" Silver Mod Wheel w/ 205/75R15 Tire

Spare 15" Aluminum Wheel w/ 205/75R15 Tire

Upgrade to 15" Aluminum (Radial Ply; From 13" Aluminum; Open Trailers)

Bolt-On Spare Tire Carrier (Tongue-Mounted)

RAIL KIT OPTIONS (R-W)

Upgrade to PT Solid Rail Kit (PBF)

Upgrade 2"x2" Fixed Rail Kit to Solid Diamond Plate (PBF)

TIE-DOWN OPTIONS

Light Duty Surface-Mounted D-Ring (Installed)

5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)

Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

72"x10' – 80"x14'

STANDARD FEATURES

- > All-Aluminum Construction
- > 2"x4" Subframe Tubing
- > 24" O/C Floor Crossmembers
- > 2000# Center Jack
- > Leaf Spring Idler Axle
- > Integrated Aluminum Fold Down Ramp
- > Exterior LED Lighting
- > 4-Way Flat Power Connection
- > 2"x8" Planking
- > 2"x2" Rail Kit
- > 4-Piece Extruded Hinge System
- > Aluminum Fenders
- > 5000# Safety Chains
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

Trailer Model	72x10 Wood Deck	72x12 Wood Deck	72x14 Wood Deck	80x10 Wood Deck	80x12 Wood Deck	80x14 Wood Deck
Model Number	PU72x10WR-2.0	PU72x12WR-2.0	PU72x14WR-2.0	PU80x10WR-2.0	PU80x12WR-2.0	PU80x14WR-2.0
Deck (WxL)	72"x120"	72"x144"	72"x168"	80"x120"	80"x144"	80"x168"
Overall (WxL)	94"x198"	94"x222"	94"x246"	100"x198"	100"x222"	100"x246"
Deck Height	18"	18"	18"	18"	18"	18"
Hitch Height	15"	15"	15"	15"	15"	15"
Axle(s) - Qty/Rating	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#	1-3500#
Wheels	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod	15" Silver Mod
Tires	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15	205/75R15
GVWR	2990#	2990#	2990#	2990#	2990#	2990#
Curb Weight	756#	796#	836#	906#	944#	982#
Payload	2234#	2194#	2154#	2084#	2046#	2008#

OPTIONS & ACCESSORIES

RAMP OPTIONS
Bi-Fold Ramp Upgrade
FLOORING OPTIONS
Upgrade to Extruded Aluminum Floor (PBF)
TIRE/WHEEL ASSEMBLIES
Spare 15" Silver Mod Wheel w/ 205/75R15 Tire
Spare 15" Aluminum Wheel w/ 205/75R15 Tire
Upgrade to 15" Aluminum (Radial Ply; From 13" Aluminum; Open Trailers)
Bolt-On Spare Tire Carrier (Tongue-Mounted)

RAIL KIT OPTIONS (R-W)
Upgrade to PT Solid Rail Kit (PBF)
Upgrade 2"x2" Fixed Rail Kit to Solid Diamond Plate (PBF)
TIE-DOWN OPTIONS
Light Duty Surface-Mounted D-Ring (Installed)
5000# Recessed Heavy Duty D-Ring w/Backing Plate (Installed)
Zinc 6000# Recessed Swivel D-Ring w/Backing Plate (Installed)

RAMP CAPACITY BY MODEL

RAMP TYPE	APPLICABLE MODELS	CAPACITY
Utility Trailer Rear Ramp (Fold-Down)	SSR (All Sizes); AR 2.0 (All Sizes); WR 2.0 (All Sizes); FA 2.0 (All Sizes); Landscape (LS) 2.0 (All Sizes)	750#
Utility Trailer Rear Ramp (Fold-Down, Bi-Fold)	SSR (Optional, All Sizes); AR 2.0 (Optional, All Sizes); WR 2.0 (Optional, All Sizes); FA 2.0 (Optional, All Sizes); Landscape (LS) 2.0 (Optional, All Sizes)	750#
Deckover Equipment Trailer Ramps (Stow)	(All Sizes)	4000# (Pair)
Deckover Equipment Trailer Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Patriot Ramps (Fold-Down)	(All Sizes)	4000# (Pair)
Patriot Ramps 14K (Fold-Down)	(All Sizes)	5000# (Pair)
Dump Trailers (Side-Stow, Optional)	(All Sizes)	4000# (Pair)
ATV (83-Wide, Side-Stow)	(All Sizes)	1200# (Pair)
ATV (88-Wide, Side-Stow)	(All Sizes)	750# (Pair)
Open Motorcycle (Rear-Stow)	(All Sizes)	1200#
Slingshot Rear Ramp (Fold-Down, Bi-Fold)	PU-SLINGSHOT	1500#
Open Car Hauler 2.0 (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler 2.0-10K (Stow)	(All Sizes)	4000# (Pair)
Open Car Hauler Standard (Stow)	(All Sizes)	4000# (Pair)
Open Snow (Rear-Stow)	PFS	750#
Sport Deck (Rear-Stow, Telescoping)	PSD	1000#
Enclosed Cargo (4, 5, 6-Wide)	(All Sizes)	1500#
Enclosed Cargo (7, 7.5-Wide)	(All Sizes)	1500#
Enclosed Cargo (8.5-Wide, Premium)	(All Sizes)	1500#
Enclosed Motorcycle (7-Wide)	(All Sizes)	1500#
Enclosed Car Hauler (8.5-Wide)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, Rear)	(All Sizes)	4000#
Enclosed Gooseneck (8.5-Wide, Side, Optional)	(All Sizes)	1200#
Enclosed Snowmobile (7, 7.5, 101-Wide, Rear)	(All Sizes)	1500#
Enclosed Snowmobile (7, 7.5, 101-Wide, Front)	(All Sizes)	1200#
Enclosed Snowmobile (Crossover, Rear)	(All Sizes)	1500#